

## Cleveland

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip Dia.	Butt Dia.
1996	VAS woods	H.E.T. Graphite	True Temper	231W	85,90	.335"	.580"
1996	VAS woods	H.E.T. Graphite	True Temper	234W	85,90	.335"	.580"
1996	VAS woods	Steel	True Temper	R,F	115	.335"	.600"
1996	VAS Ti - Diamond woods	Firm 85-100	True Temper	Firm	65	.335"	.600"
1996	VAS Ti - Square woods	MED 75-90	True Temper	Med.	64	.335"	.600"
1996	VAS+ Diamond Irons	Boron Composite	True Temper	Firm	90	.355"	.600"
1996	VAS+ Square Irons	Boron Composite	True Temper	Med.	93	.355"	.600"
1996	VAS+ Square Irons	Steel - Square	True Temper	Med.	115	.355"	.600"
1996	VAS+Diamond	Steel - Diamond	True Temper	Firm	115	.355"	.600"
1996	VAS-Diamond 222I	Boron Composite	True Temper	Firm	90	.355"	.600"
1996	VAS- Square Irons	Steel-Square	True Temper	Med.	121	.355"	.580"
1996	VAS- Square Irons	Boron Composite	True Temper	Med.	93	.355"	.600"
1998	Tour Action TA3 Irons	Dynamic	True Temper	S	121	.355"	.600"
1998	VAS 792 Irons	Boron Composite	True Temper	Firm	66	.355"	.600"
1999	Quadpro CuTg/Cu/Cu Woods	Quadpro Pro Active	Grafalloy	R,S	64	.335"	.600"
1999	Titanium Square Woods	Cleveland GT Wood	True Temper	Med.	65	.350"	.610"
1999	Tour Action TA5 Irons	Steel Variable Step	True Temper	S	117	.370"	.600"
2000	Quad Pro Irons	Variable Step	True Temper	R	104	.370"	.600"
2000	Quad Pro Ti Woods	Quad Pro Ti	True Temper	R, S	61	.335"	.600"
2000	TA1 Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"
2000	TA1 Irons	Dynamic Gold	True Temper	S300	130	.355"	.600"
2000	TA1 Irons	Dynamic Gold	True Temper	X100	130	.355"	.600"
2000	TA3 Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"
2000	TA3 Irons	Dynamic Gold	True Temper	S300	130	.355"	.600"
2000	TA3 Irons	Dynamic Gold	True Temper	X100	130	.355"	.600"
2000	Tour Action Wedges	Dynamic Gold	True Temper	S	130	.355"	.600"
2002	Launcher Driver (330)	Launcher Gold	Fujikura	R,S,X	65	.335"	.600"
2002	Launcher Fairway Woods	Launcher Gold	Fujikura	A,R,S,X	65	.335"	.600"
2002	Launcher Driver (400)	Launcher Gold	Fujikura	S,X	65	.350"	.600"
2002	Launcher Driver (400)	Launcher Gold	Fujikura	R	55	.350"	.600"
2002	TA-7 Irons	Release w/Sensicore	True Temper	Men's	121	.370"	.600"
2002	TA-5 Irons	Release w/Sensicore	True Temper	Men's	121	.370"	.600"
2003	TA-7 Tour Irons	Dynamic Gold	True Temper	R3,S3,X1	127,130	.370"	.600"
2003	TA-7 Tour Irons	Graphite Design GAT 95	Graphite Design	R,S	97	.370"	.600"

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip Dia.	Butt Dia.
2003	900 Form Forged Wedges	Dynalite Gold	True Temper	S3	130	.355"	.600"
2003	588 Tour Action Wedges	Dynamic Gold (Black Chrome)	True Temper	S4	130	.355"	.600"
2003	Launcher Driver (460)	Launcher Gold	Fujikura	S,X	65	.350"	.600"
2003	Launcher Driver (460)	Launcher Gold	Fujikura	R	55	.350"	.600"
2003	TA-2 Irons (Micro-Cavity)	Dynamic Gold	True Temper	R3,S3,X1	127,130	.370"	.600"
2003	TA-5 Irons	Release w/Sensicore	True Temper	Men's	121	.370"	.600"
2003	TA-5 Irons (Senior)	Graphite		A	121	.370"	
2004	TA-6 Irons	Action Lite Steel	True Temper	A,R,S		.370"	.600"
2004	TA-6 Irons	Action Lite Graphite		A,R,S	75,83	.370"	.600"
2004	CG10 Wedges	Dynamic Gold	True Temper	S300	130	.355"	.600"
2004	CG10 Black Pearl Wedges	Dynamic Gold	True Temper	S300	130	.355"	.600"
2004	Launcher Titanium Fairway Woods	Launcher Graphite		A,R,S,X	55,65	.350"	
2004	Launcher 460 Comp driver	Launcher Comp Graphite	Fujikura	A,R	55	.350"	
2004	Launcher 460 Comp driver	Launcher Comp Graphite	Fujikura				
2005	Launcher Comp Fairway Woods	Launcher Comp Black		A,R,S,X	55,65	.350"	
2004	Sport OS 410 Driver	UltraLite Graphite		R	55		
2004	Sport OS 410 Driver	UltraLite Graphite		S	65		
2004	Sport OS Fairway Woods	UltraLite Graphite		R	55		
2004	Sport OS Fairway Woods	UltraLite Graphite		S	65		
2004	CG1 Irons	Dynamic Gold	True Temper	R3	127	.355"	.580"
2004	CG1 Irons	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"
2004	CG1 Irons	Graphite Design GAT 95	Graphite Design	R,S,X	96	.355"	.600"
2004	Launcher Irons	Action Lite Steel	True Temper	A,R,S	111	.370"	.600"
2004	Launcher Irons	Action Lite Graphite		A,R,S	75,83	.370"	.600"
2004	LDI (Long Driving Iron)	Dynamic Gold SL	True Temper	R3,S3,X1	106,109	.370"	.600"
2004	LDI (Long Driving Iron)	Aldila NV 85 Hybrid	Aldila	R,S	84	.370"	.630"
2004	LDI (Long Driving Iron)	Aldila NV 105	Aldila	R,S	105	.370"	.630"
2005	Halo Hybrids	Halo Graphite	True Temper	A,R,S	75,78,83	.370"	.600"
2005	Halo Hybrids	Dynamic Gold SL		R3, S3, X1	106,109	.370"	.600"
2005	CG2 Irons	Grafalloy Blue	Grafalloy	R,S,X	86,89	.355"	.600"
2005	CG2 Irons	Dynamic Gold	True Temper	R3	127	.355"	.580"
2005	CG2 Irons	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"
2005	CG4 Irons	Action Lite Graphite		A,R,S	75,83	.370"	.600"
2005	CG4 Irons	Action Lite Steel	True Temper	A,R,S	111	.370"	.600"
2005	Launcher Ti460 & Ti460 Offset Driver	Cleveland Launcher Silver Graphite		A,R	55	.350"	.600"

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip Dia.	Butt Dia.
2005	Launcher Ti460 & Ti460 Offset Driver	Cleveland Launcher Silver Graphite		S,X	65	.350"	.600"
2005	Launcher Steel & Steel Offset Fairway Wds.	Cleveland Launcher Silver Graphite		A,R	55	.350"	.600"
2005	Launcher Steel & Steel Offset Fairway Wds.	Cleveland Launcher Silver Graphite		S,X	65	.350"	.600"
2005	CG11 Wedges	Wedge Flex Graphite		Wedge	106	.355"	.600"
2005	CG11 Wedges	Dynamic Gold	True Temper	R300	127	.355"	.580"
2005	CG11 Wedges	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"
2005	W-Series Launcher Driver (Women's)	W-Series Launcher Graphite		Women's	67	.350"	.590"
2005	W-Series Launcher Fairway Woods (Women)	W-Series Launcher Graphite		Women's	67	.335"	.590"
2005	W-Series Offset Driver (Women's)	W-Series Offset Graphite		Women's	66	.350"	.590"
2005	W-Series Offset Fairway Woods (Women's)	W-Series Offset Graphite		Women's	66	.350"	.590"
2005	W-Series Launcher Irons (Women's)	W-Series Offset Graphite		Women's	66	.370"	.590"
2005	W-Series Offset TA-6 Irons (Women's)	W-Series Offset Graphite		Women's	66	.370"	.590"
2005	W-Series Halo Hybrid (Women's)	W-Series Launcher Graphite		Women's	67	.370"	.590"
2005	W-Series 588W Wedges (Women's)	W-Series Wedge Graphite		Women's	66	.370"	.590"
2005	W-Series 588W Wedges (Women's)	Dynalite	True Temper	Womens	110	.370"	.590"
2006	Hi Bore Driver	Hi Bore Graphite	Fujikura	A,R	55	.350"	.600"
2006	Hi Bore Driver	Hi Bore Graphite	Fujikura	S,X	65	.350"	.600"
2006	Hi Bore Fairway Woods	Hi Bore Graphite	Fujikura	A,R	55	.350"	.600"
2006	Hi Bore Fairway Woods	Hi Bore Graphite	Fujikura	S,X	65	.350"	.600"
2006	Hi Bore Hybrid	Hi Bore Hybrid Silver Graphite		A,R	75,78	.370"	.600"
2006	Hi Bore Hybrid	Hi Bore Hybrid Silver Graphite		S	83	.370"	.600"
2006	Launcher LP Irons	Cleveland Action Lite Steel*	True Temper	A,R,S	111	.370"	.600"
2006	CG4 Tour Irons	Cleveland Action Lite Tour Steel	True Temper	R,S	122	.370"	.600"
2006	CG4 Tour Irons	ProLaunch Blue Graphite	Grafalloy	R,S	76	.370"	.600"
2006	CG11 Black Pearl Wedges	Dynamic Gold	True Temper	Wedge	130	.355"	.600"
2006	Hi Bore XL Driver	Hi Bore XL Gold	Fujikura	A,R,S	55,55,60	.350"	.600"
2006	Hi Bore XL Tour Driver	Hi Bore XL Red Tour	Fujikura	R,S,X	60,65,70	.350"	.600"
2006	CG1 Black Pearl Irons	Dynamic Gold	True Temper	R300	125	.355"	.580"
2006	CG1 Black Pearl Irons	Dynamic Gold	True Temper	S300,X100	130	.355"	.600"
2006	Hi Bore Irons	Hi Bore Silver Graphite	Graphite Design	A,R,S	75,78,83	.370"	.600"
2006	Hi Bore Irons	Hi Bore Steel	True Temper	A,R,S	111	.370"	.600"
2006	588 RS Wedge	Dynalite Steel	True Temper	Wedge	106	.355"	.600"
2006	588 DSG Wedge & 588 DSG RTG Wedge	Dynamic Gold	True Temper	Wedge	130	.355"	.600"
2006	W-Series Hi Bore XL Driver (Women's)	W-Series Women's Hi Bore Graphite		Women's	50	.350"	.600"
2006	W-Series Hi Bore XL Fairway Woods	W-Series Women's Hi Bore Graphite		Women's	50	.350"	.600"

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip Dia.	Butt Dia.
2006	W-Series Hi Bore Irons (Women's)	Hi Bore Silver Graphite		Women's	83	.370"	.600"
2006	W-Series 588 RS Wedges (Womens)	W-Series 588 RS Graphite		Women's	59	.370"	.585"
2006	W-Series CG11 Wedge (Women's)	W-Series CG11 Graphite	True Temper	Women's	59	.370"	.585"
2006	W-Series Hi Bore Hybrid (Women's)	Hi Bore Hybrid Silver Graphite		Women's	75	.370"	.600"
2007	CG Red Irons	Dynamic Gold		R300	127	.355"	.580"
2007	CG Red Irons	Dynamic Gold	True Temper	S3,X1	130	.355"	.600"
2007	CG Gold Irons	Action Lite Flighted Steel	Royal Precision	R,S	111	.370"	.600"
2007	CG Gold Irons	CG Gold Graphite		A,R,S	75,78,83	.370"	.600"
2007	CG 12 Chrome Wedges	Dynamic Gold	True Temper	Wedge	130	.355"	.600"
2007	CG 12 Black Pearl Wedges	Dynamic Gold	True Temper	Wedge	130	.355"	.600"
2007	CG 14 Chrome Wedges	Traction Steel	True Temper	Wedge	125	.355"	.600"
2007	CG 14 Black Pearl Wedges	Traction Steel		Wedge	125	.355"	.600"
2008	Hi Bore XLS Driver	Fit-On M Gold Graphite		A,R,S,X	55, 60	.350"	.600"
2008	Hi Bore XLS Driver	Fit-On M Red Graphite	Fujikura	R,S,X	60, 70	.350"	.600"
2008	Hi Bore XLS Draw Driver	Fit-On M Gold Graphite	Fujikura	A,R,S,X	55, 60	.350"	.600"
2008	Hi Bore XLS Draw Driver	Fit-On M Red Graphite	Fujikura	R,S,X	60, 70	.350"	.600"
2008	Hi Bore XLS Tour Driver	Fit-On M Gold Graphite	Fujikura	A,R,S,X	55, 60	.350"	.600"
2008	Hi Bore XLS Tour Driver	Fit-On M Red Graphite	Fujikura	R,S,X	60, 70	.350"	.600"
2008	Hi Bore XLS Fairway Woods	Fit-On M Gold Graphite	Fujikura	A,R,S,X	55, 60	.350"	.600"
2008	Hi Bore XLS Fairway Woods	Fit-On M Red Graphite	Fujikura	R,S,X	60, 70	.350"	.600"
2008	Hi Bore XLS Hybrids	Fit-On M Gold Graphite	Fujikura	A,R,S	65	.370"	.600"
2008	Hi Bore XLS Hybrids	Fit-On M Red Graphite	Fujikura	R,S,X	85	.370"	.600"
2008	Hi Bore XLS Hybrids	Dynamic Gold SL	True Temper	R3, S3, X1	106	.370"	.600"
2008	CG1 Tour Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"
2008	CG1 Tour Irons	Dynamic Gold	True Temper	S300, X100	130	.355"	.600"
2008	Hi Bore Gold Combo Hybrids & Irons	CG Gold Graphite		A,R,S	75, 83	.370"	.600"
2008	Hi Bore Gold Combo Hybrids & Irons	Action Lite Flighted Steel		R,S	111	.370"	.600"
2008	Launcher Driver	FlightSpeed Fit-On M Gold Graphite	Fujikura	A,R,S,X	50	.350"	.600"
2008	Launcher Fairway Woods	Fit-On M Gold Graphite	Fujikura	A,R,S,X	55, 60	.350"	.600"
2008	Launcher Hybrids	Fit-On M Gold Hybrid Graphite	Fujikura	A,R,S	65	.370"	.600"
2009	Hi-Bore Monster XLS & XLS Draw Drivers	Fit-On M Gold Graphite	Fujikura	A,R,S,X	55, 60	.350"	.600"
2009	Hi-Bore Monster XLS Tour Driver	Fit-On M Gold Graphite	Fujikura	A,R,S,X	55, 60	.350"	.600"
2009	Hi-Bore XLI Irons	Hi-Bore Silver Graphite		A,R,S	80	.370"	.600"
2009	Hi-Bore XLS Hybrids	Fit-On M Gold Hybrid Graphite	Fujikura	A,R,S	65	.370"	.600"
2009	CG Tour Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"

<b>Year</b>	<b>Club Model</b>	<b>Shaft Description</b>	<b>Shaft Manufacture</b>	<b>Flex</b>	<b>Shaft Wt.</b>	<b>Tip Dia.</b>	<b>Butt Dia.</b>
2009	CG Tour Irons	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"
2009	CG-7 Irons	CG-7 Graphite		A,R,S	80	.370"	.600"
2009	CG-7 Tour Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"
2009	CG-7 Tour Irons	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"
2009	Niblick	Action Lite	True Temper	Wedge	110	.370"	.600"