

TaylorMade

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip Dia.	Butt Dia.
1996	Titanium Bubble Driver	Bubble Graphite	Aldila, Fujikura, HST	R80, S90	88	.335"	.810"
1996	Oversize Burner Irons	Rifle	FM Precision	R80	123	.370"	.600"
1996	Oversize Burner Irons	Bubble L60+	Aldila, Fujikura, HST	L60+	78	.370"	.810"
1996	Oversize Burner Irons	Bubble R80	Aldila, Fujikura, HST	R80	88	.370"	.810"
1996	Oversize Burner Irons	Bubble S90	Aldila, Fujikura, HST	S90	101	.370"	.810"
1997	Burner Bubble Woods	Bubble R80	Aldila, Fujikura, HST	R80	65,69	.335"	.810"
1997	Burner Bubble Woods	Bubble S90	Aldila, Fujikura, HST	S90	78,82	.335"	.810"
1997	Burner Bubble Woods	Bubble	Aldila, Fujikura, HST	Senior	70,75	.335"	.810"
1997	Burner Bubble Irons	Bubble L60+	Aldila, Fujikura, HST	L60+	60,65	.370"	.810"
1997	Tour Wedge	Wedge	FM Precision	Wedge	130	.370"	.600"
1998	Burner Bubble Woods	Bubble Graphite	Aldila, Fujikura, HST	TS100	60,65	.405"	.810"
1998	Ti Bubble II Woods	Bubble 2 R80	Aldila, Fujikura, HST	R80	76	.405"	.810"
1998	Ti Bubble II Woods	Bubble 2 S90	Aldila, Fujikura, HST	S90	82	.405"	.810"
1998	Burner Oversize Irons	Precision Rifle	Royal Precision	S90	125	.370"	.600"
1998	LCG Burner Irons	Precision Rifle	Royal Precision	S90	125	.370"	.600"
1998	LCG Burner Irons	Bubble 2	Aldila, Fujikura, HST	S90	109	.405"	.810"
1998	LCG Burner Irons	Precision Rifle	Royal Precision	R80	112	.370"	.600"
1998	Ti Bubble Woods	Ti Bubble R80+	Aldila, Fujikura, HST	R80+	75	.335"	.810"
1998	Ti Bubble Woods	Ti Bubble R90+	Aldila, Fujikura, HST	S90+	82	.335"	.810"
1998	Bubble 2 Irons	Ti Bubble 2 Graphite	Aldila, Fujikura, HST	R80	77	.395"	.810"
1998	Tour Bubble Irons	Bubble	Aldila, Fujikura, HST	R80	85	.395"	.810"
1998	Tour Preferred Woods	Tour Gold	Aldila	R,S	94	.335"	.600"
1998	Tour Preferred System 2 Woods	Flex Twist	Aldila	RS	90	.335"	.600"
1999	Firesole Titanium Woods	Bubble R-80	Aldila, Fujikura, HST	R80	75	.405"	.810"
1999	Firesole Titanium Woods	Bubble S-90	Aldila, Fujikura, HST	S90	76	.405"	.810"
1999	Firesole Irons	Bubble Graphite	Aldila, Fujikura, HST	R80, S90		.395"	.810"
1999	Firesole Tour Irons	Dynamic Gold	True Temper	S300	127	.355"	.600"
2000	Taylor Made 300 Ti Driver	Taylor Made Tour	Fujikura	R80, S90	70,72	.350"	.600"
2000	Taylor Made 320 Ti Driver	Taylor Made Tour	Fujikura	R80, S90	70,72	.350"	.600"
2000	Taylor Made 360 Ti Driver	Taylor Made Bubble UL	Fujikura	R80, S90	70,72	.405"	.810"
2000	Supersteel Metalwoods	Bubble Graphite	HST	R80, S90	75	.405"	.810"
2000	Supersteel Metalwoods	Steel Shafts	Royal Precision	R80, S90		.405"	.600"
2000	Supersteel Irons	Bubble Graphite	HST	R80, S90		.395"	.810"
2000	Supersteel Irons	Precision Rifle	Royal Precision	R80	115	.395"	.600"
2000	Firesole Woods (Stainless)	Precision Rifle	Royal Precision	R80	115	.395"	.600"
2000	Rescue Wood	Precision Rifle	Royal Precision	R80, S90		.395"	.600"

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip Dia.	Butt Dia.
2000	Rescue Wood	Bubble Graphite	HST	R80, S90		.395"	.810"
2001	Taylor Made 300 Fairway Woods	Taylor Made Tour	Fujikura	R80, S90	76,78	.350"	.600"
2002	Taylor Made 200 Series Metalwoods	Lite Graphite	Fujikura	R80,S90	63,65	.350"	.600"
2002	Taylor Made 200 Series Metalwoods	Rifle	Royal Precision	R80,S90	111	.350"	.600"
2002	Taylor Made 200 Series Irons	Lite Graphite		M,R,S		.370"	.600"
2002	Taylor Made 200 Series Irons	Steel		M,R,S		.370"	.600"
2002	"Retro" Spoon & Raylor	HM-40 Tour Gold	Aldila	R,S,X	93,98	.335"	.600"
2002	"Retro" Spoon & Raylor	Dynamic Gold	True Temper	R3,S3,X1	122,120	.335"	.600"
2002	300 Forged Irons	Tour Flighted Rifle	Royal Precision	5.0,6.0,6.5	109,115	.355"	.600"
2002	320 Irons	Lite Flighted Constant Weight Graphite		M,R,S,TS		.370"	
2002	320 Irons	Flighted Constant Weight Rifle	Royal Precision	R,S,TS		.370"	.600"
2002	360 Irons	Lite Flighted Constant Weight Graphite	M,R,S,TS			.370"	
2002	360 Irons	Flighted Constant Weight Rifle	Royal Precision	R,S,TS		.370"	.600"
2002	300 Series Wedges	Lite Flighted Constant Weight Graphite	M,R,S,TS			.370"	
2002	300 Series Wedges	Flighted Constant Weight Rifle	Royal Precision	R,S,TS		.370"	.600"
2002	R510 Driver	M.A.S.2 - 75 Graphite		R,S,TS	75	.350"	.600"
2002	R540 Driver	M.A.S.2 - 70 Graphite		M,R,S,TS	70	.350"	.600"
2002	R540 Driver	M.A.S.2 - 70 Graphite		L	70	.350"	.600"
2002	R580 Driver	M.A.S.2 - 60 Graphite		M,R,S,TS	60	.350"	.700"
2002	R580 Driver	M.A.S.2 - 60 Graphite		L	60	.350"	.700"
2002	RAC Wedges	Dynamic Gold	True Temper	Wedge	130	.355"	.600"
2002	RAC Irons	Taylor Made Ultralite Graphite			70	.370"	.605"
2003	R580 Fairway Woods	M.A.S.2 - 60 Graphite		R,S	63, 64	.350"	.700"
2003	Burner 420 Driver	Burner Lite		M,R,S	63	.350"	.600"
2003	R510 TP Driver (390cc)	Speeder 757	Fujikura	R,S	75	.335"	.620"
2003	V-Steel Fairway Woods	M.A.S.2 - FW Graphite		L,M,R,S,TS	73	.350"	.600"
2003	V-Steel Fairway Woods	Dynamic Gold Lite	True Temper	R3,S3,X1	102	.350"	.610"
2003	Rescue Mid (Utility Wood)	Taylor Made Ultralite Graphite		L,M,R,S	65	.370"	.600"
2003	Rescue Mid (Utility Wood)	Precision MicroTaper Steel	Royal Precision	R,S	100	.370"	.600"
2003	RAC OS Irons	Graphite		R,S		.370"	.600"
2003	RAC OS Irons	Rifle Steel	Royal Precision	R80, S90	107, 111	.370"	.600"
2003	RAC LT Irons	Graphite				.370"	
2003	RAC LT Irons	Rifle Steel	Royal Precision	5.0, 5.5, 6.0	109 , 113	.370"	.600"
2003	RAC LT Irons	Rifle Steel	Royal Precision	6.5	115	.370"	.600"
2003	RAC MB Irons	Rifle Steel	Royal Precision	5.0, 5.5, 6.0	109 , 113	.355"	.600"
2003	R540XD Driver (400cc)	M.A.S. 2 55		M,R,S,X	55	.350"	
2003	R580XD Driver (440cc)	M.A.S. 2 65		M,R,S,X	65	.350"	
2003	R580XD TP Driver (440cc)					.335"	

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip Dia.	Butt Dia.
2003	RAC Combo Irons (CB)	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"
2003	RAC Combo Irons (CB)	Dynamic Gold	True Temper	R3	127	.355"	.580"
2003	Rescue Mid TP (Utility Wood)	Dynamic Gold	True Temper	S4, X1	131	.355"	.600"
2003	Rescue Mid TP (Utility Wood)	Vista Pro 90	Fujikura	S,X	90	.335"	.600"
2004	R7 Quad Driver	M.A.S. 7-65		R,S	65	.350"	.600"
2004	R5 Dual Driver (Type D Draw)	M.A.S.2 5-55		M,R,S,TS	57	.350"	.600"
2004	R5 Dual Driver (Type N Neutral)	M.A.S.2 5-65		M,R,S,TS	63	.350"	.600"
2005	R5 TP Driver					.335"	
2004	CGB Irons	Taylor Made Ascending Mass Grap.		R,S	60,70	.370"	
2004	CGB Irons	R7 T Step Ascending Mass Steel		R,S	90,100,110	.370"	
2004	TP Irons	Dynamic Gold	True Temper	S300	127	.355"	.600"
2004	HT Irons	Graphite Shafts				.370"	
2005	R7 Quad TP Driver					.335"	
2005	R7 HT Driver	7-55 M.A.S.2		R,S	56, 57	.350"	.600"
2005	R5 Dual Fairway Woods	M.A.S.2 Graphite Fairway Shaft				.350"	
2005	RAC OS Irons (New 2005 Model)	T-Step Ultralite Steel			90	.370"	
2005	RAC OS Irons (New 2005 Model)	UG 65 Graphite			65	.370"	
2005	Rescue Dual	Hybrid 65 Graphite		L,M,R,S	57,64	.370"	.600"
2005	Rescue Dual	T-Step Ultralite Steel		R,S	88, 91	.370"	.600"
2005	Rescue Dual TP	Mitsubishi Diamana H	Mitsubishi Rayon	R,S,X	81,85	.355"	.600"
2005	Rescue Dual TP	Dynamic Gold	True Temper	R300	127	.355"	.580"
2005	Rescue Dual TP	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"
2005	R7 XD Irons	T-Step Ultralite Steel			90	.370"	
2005	R7 CGB MAX Irons	T-Step Ascending Mass Steel				.370"	
2005	R7 425 Driver	RE*AX 65 Graphite	Fujikura	R, S	65	.350"	.600"
2005	R7 425 TP Driver	RE*AX 55 TP Graphite	Fujikura	R,S,X	55	.335"	.600"
2005	R7 425 TP Driver	RE*AX 65 TP Graphite	Fujikura	R,S,X	65	.335"	.600"
2005	R7 425 TP Driver	RE*AX 75 TP Graphite	Fujikura	R,S,X	75	.335"	.600"
2006	R7 460 Driver	RE*AX 60 Graphite	Fujikura	M,R,S,X	56,58,65	.350"	.600"
2006	R7 460 TP Driver	RE*AX 54 & RE*AX 60 Graphite	Fujikura	X	54,64	.335"	.600"
2006	R7 460 Draw Driver	RE*AX 55 Graphite	Fujikura	M	55	.350"	.600"
2006	R7 460 Draw Driver	RE*AX 55 Graphite	Fujikura	R,S	55	.350"	.600"
2006	R7 Steel Fairway Woods	RE*AX 70 Graphite	Fujikura	M,R,S,X	74	.350"	
2006	R7 Titanium Fairway Woods	RE*AX 60 Graphite	Fujikura	M,R,S,X	56	.350"	
2006	R7 TP Fairway Wood	RE*AX 85 Graphite	Fujikura	R,S,X	82	.335"	
2006	R7 SuperQuad Driver	RE*AX 65 Graphite	Fujikura	M,R,S,X	65	.350"	.600"
2006	R7 SuperQuad TP Driver	RE*AX 55 TP Graphite	Fujikura	R,S,X	55	.335"	.600"
2006	R7 SuperQuad TP Driver	RE*AX 65 TP Graphite	Fujikura	R,S,X	65	.335"	.600"

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip Dia.	Butt Dia.
2006	R7 SuperQuad TP Driver	RE*AX 75 TP Graphite	Fujikura	R,S,X	75	.335"	.600"
2006	Burner Driver	RE*AX 50 Graphite	Fujikura	M,R,S,X	50	.350"	.600"
2006	Burner TP Driver	RE*AX Superfast TP 50	Fujikura	R,S,X	50	.335"	.600"
2006	R7 Draw Fairway Woods	RE*AX 55 Graphite	Fujikura	M,R,S	55	.350"	.600"
2006	R7 Draw Rescue	RE*AX 55 Graphite	Fujikura	M,R,S	59, 64	.370"	.600"
2006	R7 Irons T-Step	Ultralite Steel		M,R,S,X	90	.370"	
2006	R7 Irons	RE*AX 65 Graphite	Fujikura	M,R,S,X	65	.370"	
2006	R7 TP Irons	Dynamic Gold	True Temper	S300	130	.355"	.600"
2006	R7 Draw Irons	T-Step Ultralite Steel		M,R,S	90	.370"	
2006	R7 Draw Irons	RE*AX 55 Graphite	Fujikura	M,R,S	59, 64	.370"	.600"
2006	RAC MB TP Irons	Tour Flighted Rifle	Royal Precision	5.0,6.0,6.5	119, 130	.355"	.600"
2006	RAC Black TP Wedges	Dynamic Gold	True Temper	S300	130	.355"	.600"
2006	RAC Satin TP Wedges	Dynamic Gold	True Temper	S300	130	.355"	.600"
2007	Rescue Burner	Re*Ax Superfast Graphite	Fujikura	M,R,S	66	.370"	
2007	Rescue Burner	T Step Steel	FST	M,R,S	90	.370"	.600"
2007	Rescue TP	RE*AX 85 Graphite	Fujikura	R,S,X	85	.355"	
2007	Rescue TP	Dynamic Gold Steel	True Temper	R300	127	.355"	.580"
2007	Rescue TP	Dynamic Gold Steel	True Temper	S300, X100	130	.355"	.600"
2007	R7 CGB Max Driver	Re*Ax SF 45 Graphite	Mitsubishi Rayon		45	.350"	
2008	R7 CGB Max Limited Driver	Taylor Made Interchangable Shaft System				.350"	.600"
2008	Tour Burner Driver	RE*AX Superfast 60 Graphite	Fujikura	R,S,X	60	.350"	
2008	Tour Burner TP Driver			R,S,X		.335"	
2008	R7 CGB Max Driver	RE*AX SF 45 Graphite	Mitsubishi Rayon		45	.350"	
2008	R7 CGB Max Fairway Woods	RE*AX SF 45 Graphite	Mitsubishi Rayon		45	.350"	
2008	Burner Steel Fairway Woods	RE*AX 50 Fairway Graphite			50	.350"	
2008	Burner TP Fairway Woods	RE*AX SF TP 75 Graphite			75	.335"	.600"
2008	R7 CGB Max Rescue	RE*AX Superfast 55 Graphite	Mitsubishi Rayon	M,R,S	55	.370"	.600"
2008	Tour Burner Irons	RE*AX 65 Graphite	Fujikura	R,S,X	65	.370"	
2008	Tour Burner Irons	Burner Steel			105	.370"	
2008	R7 CGB Max Irons	RE*AX Superfast 55 Graphite			55	.370"	
2008	Z TP Wedges	Dynamic Gold	True Temper	Wedge	127	.355"	.600"
2008	R7 Limited Driver	Matrix Ozik XCON 5.5 Graphite	MCC	A,R,S	60	.350"	.600"
2008	Burner High Launch Fairway	RE*AX 70 Fairway Graphite		M,R,S	74	.350"	.600"
2008	Burner Tour Launch Fairway	RE*AX 70 Fairway Graphite		M,R,S	74	.350"	.600"
2008	Burner Rescue High Launch	RE*AX SF 60 Graphite		M,R,S	60	.370"	.600"
2008	Burner Rescue High Launch	RE*AX SF 85 H Graphite		R,S,X	90	.355"	.600"
2008	Burner Rescue Tour Launch	RE*AX SF 60 Graphite		M,R,S	60	.370"	.600"
2008	Burner Rescue Tour Launch	RE*AX SF 85 H Graphite		R,S,X	90	.355"	.600"

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip Dia.	Butt Dia.
2008	Burner Plus Irons					.370"	
2008	Tour Preferred Irons					.355"	.600"
2008	TP MB Irons	Rifle Tour Flighted Steel	Royal Precision	6	120	.355"	.600"